

'26

Ventilation

PRESTIGE®

DISTRIBUTED BY SIGNATURE MARKETING GROUP



SINCE 1988

VENTILATION MADE FOR PRO-STYLE COOKING

Prestige began in 1988 with the first ductless hood made for pro-style ranges. Today the line covers stainless liners and inserts for custom hoods, Pro Line wall hoods, and the inline and remote blowers that power them, built in the USA.

Prestige is Signature's own ventilation brand. Signature sells it, stocks it in Pine Brook, New Jersey, and services it directly.

1988	USA	Signature
FIRST PRO-STYLE DUCTLESS HOOD	BUILT IN	SOLD AND SERVICED BY

CONTENTS

Prestige 2

Liner, insert or hood 4

Sizing a hood 5

01 LINERS AND INSERTS 6

Pro-Series and High-Capacity liners 8

PowerPack inserts 9

Compact inserts 10

Built in 11

02 WALL HOODS 12

Pro Line wall hoods 14

Pro Line BBQ hood 15

03 BLOWERS AND KITS 16

Inline and remote blowers 18

Duct-free and controls 19

Ordering notes 20

Model index 21

LINER, INSERT OR HOOD?

Prestige comes in three forms. Which one you need depends on whether the hood is custom-built, and where you want the motor.



LINER
The working part of a custom wood, plaster or stone hood: filters, lights and controls, but no motor. Pair it with an inline or remote blower.



INSERT
A liner with the blower built in, for a custom hood with nothing else to buy. Compact inserts fit shallow hoods.



WALL HOOD
A finished stainless Pro Line hood that hangs on the wall, with a blower kit.



BLOWER
An inline blower in the duct run, or a remote blower outside, moves the motor and its noise away from the kitchen.

FITTING THE HOOD TO THE RANGE

HEIGHT

Hang the hood 30 to 36 inches above the cooking surface; most building codes require at least 30 inches below anything combustible. Deep High-Capacity and BBQ hoods can go up to 42 inches.

WIDTH

Mounted higher than 36 inches, the hood should be at least 6 inches wider than the cooktop to capture heat and grease.

DEPTH

A custom hood should be at least 19 inches deep over a standard cooktop and 24 inches over a pro-style range. Recess the liner 3 to 4 inches to form a capture area.

GRILLS AND WOKS

Over a grill, add at least 6 inches of capture area. With a grill, wok or high-output griddle, an inline or remote blower is strongly recommended.

DUCTING

Use rigid metal duct only, never flexible or plastic. Put an inline blower after all turns and as close to the outside wall as possible.

MAKE-UP AIR

Strong hoods need enough air coming back in for fuel-burning appliances to vent properly. Check local code for make-up air.



01

LINERS AND INSERTS

The stainless working parts of a custom hood, from 28 to 58 inches.



Pro-Series and High-Capacity liners 8
PowerPack inserts 9
Compact inserts 10
Built in 11



LINERS

PRO-SERIES AND HIGH-CAPACITY LINERS

Stainless liners for a custom hood, with no motor: pair one with an inline or remote blower. Pro-Series liners are 6 1/2 inches tall; High-Capacity liners have a deep 22 1/2-inch canopy.

FEATURES

- No built-in motor: pair with an inline or remote blower kit
- Stainless steel variable speed control knobs
- 60W halogen lights with dimmer
- Stainless steel baffle filters, dishwasher safe
- 10" round top duct

SPECIFICATIONS

Construction (High Capacity)	304 Grade stainless steel
Illumination	60W Halogen Lamps with Dimmer Control 28" (2), 34" (2), 40" (2), 46" (3), 52" (3), & 58" (3)
Filter Type	Baffle Filters, Stainless Steel, Dishwasher-Safe

PRO-SERIES LINERS		UMRP
UIB28-NB	28”W x 15”D x 6 1/2”H w/Light & Variable Fan Switch	**$1,045**
UIB34-NB	34”W x 15”D x 6 1/2”H w/Light & Variable Fan Switch	**$1,109**
UIB40-NB	40”W x 15”D x 6 1/2”H w/Light & Variable Fan Switch	**$1,255**
UIB46-NB	46”W x 18”D x 6 1/2”H w/Light & Variable Fan Switch	**$1,609**
UIB52-NB	52”W x 18”D x 6 1/2”H w/Light & Variable Fan Switch	**$1,709**
UIB58-NB	58”W x 18”D x 6 1/2”H w/Light & Variable Fan Switch	**$1,839**

HIGH-CAPACITY LINERS		UMRP
UIBTF34-NB	34"W x 22 1/2"D x 14"H w/Light & Variable Fan Switch	**$1,779**
UIBTF40-NB	40"W x 22 1/2"D x 14"H w/Light & Variable Fan Switch	**$2,099**
UIBTF46-NB	46"W x 22 1/2"D x 14"H w/Light & Variable Fan Switch	**$2,379**
UIBTF52-NB	52"W x 22 1/2"D x 14"H w/Light & Variable Fan Switch	**$2,589**



INSERTS

POWERPACK INSERTS

A liner with its blower already inside: 600 CFM with one motor, or 1,200 CFM with two. The duct exits top or rear, and a duct-free kit turns it into a recirculating hood.

FEATURES

- Built-in blower: 600 CFM (one motor) or 1200 CFM (two motors)
- Duct exits top or rear (reversible)
- Ducted, or recirculating with the optional duct-free kit
- 60W halogen lights with dimmer
- Stainless steel variable speed control knobs

SPECIFICATIONS

Illumination	60W Halogen Lamps with Dimmer Control 28" (2), 34" (2), 40" (2), 46" (3), 52" (3), & 58" (3)
Filter Type	Baffle Filters, Stainless Steel, Dishwasher-Safe

POWERPACK INSERTS		UMRP
UIB28-600	28”W x 15”D x 14”H -600CFM, Reversible Duct	**$1,255**
UIB34-600	34”W x 15”D x 14”H -600CFM, Reversible Duct	**$1,355**
UIB34-1200	34”W x 15”D x 14”H -1200CFM, (2 Motors) Reversible Duct	**$1,939**
UIB40-1200	40”W x 15”D x 14”H -1200CFM, (2 Motors) Reversible Duct	**$2,179**
UIB46-1200	46”W x 18”D x 14”H -1200CFM, (2 Motors) Reversible Duct	**$2,515**
UIB52-1200	52”W x 18”D x 14”H -1200CFM, (2 Motors) Reversible Duct	**$2,859**
UIB58-1200	58”W x 18”D x 14”H -1200CFM, (2 Motors) Reversible Duct	**$3,155**



INSERTS

COMPACT INSERTS

Blower, filters, lights and controls in one shallow box, 11 1/2 inches deep and 9 inches tall, for hoods with little room.

FEATURES

- Built-in blower, 390 or 600 CFM
- Only 11 1/2" deep and 9" tall
- 6" round duct
- Two 60W halogen lights with dimmer
- Stainless steel variable speed knobs
- Dishwasher-safe stainless baffle filter


SPECIFICATIONS

Illumination	60W Halogen Lamps with Dimmer Control 26" (2), 30" (2), & 34" (2)
Filter Type	Baffle Filter, Stainless Steel, Dishwasher-Safe

COMPACT INSERTS		UMRP
UIB30-400	30"W x 11-1/2"D x 9"H - Top Discharge - 390 CFM	**$995**
UIB30-600	30"W x 11-1/2"D x 9"H - Top Discharge - 600CFM	**$1,039**
UIB34C-400	34"W x 11- 1/2"D x 9"H - Top/Rear Discharge - 390CFM	**$1,045**
UIB34C-600	34"W x 11- 1/2"D x 9"H - Top/Rear Discharge - 600CFM	**$1,085**

STAINLESS, INSIDE AND OUT

What every Prestige liner, insert and hood shares.



BAFFLE FILTERS
Stainless baffle filters that go in the dishwasher.



VARIABLE SPEED
Stainless knobs for the fan speed and the light dimmer.



HALOGEN LIGHTS
60-watt halogen lights, two or three by width.



DUCT-FREE OPTION
Charcoal filters fit behind the baffles where a duct can't go.



02

WALL HOODS

Seamless stainless Pro Line hoods for the wall, indoors and out.



Pro Line wall hoods 14

Pro Line BBQ hood 15



PRO LINE

PRO LINE WALL HOODS

Commercial-style stainless wall hoods, 24 inches deep and 18 inches tall, in a straight, convex or concave profile, and a 30-inch-deep High-Capacity hood that can hang up to 42 inches above the cooktop.



Pro Line



Convex



High-Capacity

FEATURES

- Seamless stainless steel body
- Large tee-pee style baffle filter capture area
- Stainless baffle filters, dishwasher safe
- 60W halogen lights with dimmer
- Stainless steel variable speed control knobs
- Duct from top or rear

WALL HOODS (A BLOWER KIT IS REQUIRED)		UMRP
PLHC3630-1200	High Capacity Hoods - 36" x 30"D x 18"H	**$2,625**
PLCX48240	Convex Hoods, 48" x 24"D x 18"	**$2,017**
PLCV42240	Concave Hoods, 42" x 24"D x 18"H	**$2,083**
PL30240	Pro Line Hood 30"W x 24"D x 18"H, No Blower	**$1,832**
PL36270	Pro Line Hood 36"W x 27"D x 18"H, No Blower	**$2,165**



OUTDOOR

PRO LINE BBQ HOOD

A Pro Line hood for the outdoor grill, 30 inches deep instead of 24 so it catches more smoke and grease, and able to hang up to 42 inches above the grill.

FEATURES

- 30" deep canopy vs 24" on standard hoods
- Can mount up to 42" above the cooking surface
- Tee-pee style stainless baffle filters, dishwasher safe
- 60W halogen lights with dimmer
- Stainless steel variable speed control knobs
- Ducted from the top or rear

BBQ HOOD (A BLOWER KIT IS REQUIRED)		UMRP
PLBQ3630-1200	BBQ Hoods - 36" x 30"D x 18"H	**$2,625**



03

BLOWERS AND KITS

Inline and remote blowers, duct-free kits and the wall switch.



Inline and remote blowers 18

Duct-free and controls 19

Ordering notes 20

Model index 21



INLINE AND REMOTE BLOWERS

Liners and Pro Line hoods need a blower kit. An inline blower mounts in the duct run, in an attic or between joists; a remote blower mounts outside on the roof or a wall. Either way the motor, and most of its noise, is out of the kitchen.



Remote blower

FEATURES

- Inline: mounts in the duct run, at any angle
- Remote: mounts outside on a pitched or flat roof or exterior wall
- 1200 and 1600 CFM inline, 900 and 1200 CFM remote on our list
- 10" round duct
- Works with Pro-Series and High-Capacity liners and Pro Line hoods
- Wired to the hood's own fan control

BLOWER KITS		UMRP
IL1200-10D	1200 CFM, 10” Round Duct	**$1,445**
IL1600-10D	1600 CFM, 10” Round Duct	**$1,565**
RB900-F	1000 CFM, 10” Round Duct	**$1,079**
RB1200-F	1200 CFM, 10” Round Duct	**$1,269**

DUCT-FREE AND CONTROLS

Where a duct can't run outside, charcoal filters behind the baffles clean the air and return it to the kitchen. The wall switch kit moves the light and fan controls to the wall.



Duct-free kits

Charcoal filters for PowerPack inserts, 1 to 3 by width; no air return included.

UIBDFK28 **$55**
UIBDFK34 **$79**



Duct-free hood

A 30-inch Pro Line hood with a 600 CFM blower that recirculates.

WMPLDF30241 **$1,998**



Wall switch kit

Stainless light and fan controls for the wall, for variable speed motors.

UIBWSK **$109**

DUCT-FREE KITS FOR POWERPACK INSERTS		UMRP
UIBDFK40	Duct Free Kit - for 40" UIB PowerPack Insert - 2 filters	**$99**
UIBDFK46	Duct Free Kit - for 46" UIB PowerPack Insert - 3 filters	**$139**
UIBDFK52	Duct Free Kit - for 52" UIB PowerPack Insert - 3 filters	**$155**
UIBDFK58	Duct Free Kit - for 58" UIB PowerPack Insert - 3 filters	**$165**

GOOD TO KNOW

BLOWERS

Liners and Pro Line hoods need a blower kit; PowerPack and Compact inserts have the blower built in. Prestige inserts and hoods work only with Prestige blowers.

PRICES

Prices are Prestige's UMRP, effective January 1, 2025, as printed in Signature's Prestige price book. Signature Marketing Group reserves the right to modify pricing without notice.

ELECTRICAL

Hoods, liners and inserts run on 15 amps at 120 volts. Install guides and spec sheets for every model are available from Signature.

LIMITED QUANTITIES

The Pro Line, Convex, Concave, High-Capacity, BBQ and duct-free hoods are sold while stock lasts.

WARRANTY

One year on parts and normal labor, for the original purchaser, residential use only. Light bulbs aren't covered.

SERVICE

Signature Service: 800-358-8886, ext. 22.

MODEL INDEX

IL1200-10D	18	RB900-F	18	UIB34-NB	8	UIB52-NB	8	UIBDFK58	19
IL1600-10D	18	RB1200-F	18	UIB34C-400	10	UIB58-1200	9	UIBTF34-NB	8
PL30240	14	UIB28-600	9	UIB34C-600	10	UIB58-NB	8	UIBTF40-NB	8
PL36270	14	UIB28-NB	8	UIB40-1200	9	UIBDFK28	19	UIBTF46-NB	8
PLBQ3630-1200	15	UIB30-400	10	UIB40-NB	8	UIBDFK34	19	UIBTF52-NB	8
PLCV42240	14	UIB30-600	10	UIB46-1200	9	UIBDFK40	19	UIBWSK	19
PLCX48240	14	UIB34-600	9	UIB46-NB	8	UIBDFK46	19	WMPLDF30241	19
PLHC3630-1200	14	UIB34-1200	9	UIB52-1200	9	UIBDFK52	19		

Signature
MARKETING GROUP LTD.

SIGNATURE MARKETING GROUP
25 RIVERSIDE DR., STE. 4 · PINE BROOK, NJ 07058
800-358-8886 · SMGLTD.NET

Prestige is a brand of Signature Marketing Group's Prestige Products Division.